


VOLA HV1, HV3, HV4

Fitting instruction
 Montageanleitung
 Monteringsvejledning
 Monteringsvægledning
 Montage hanleiding
 Manuel de montage




HV1, HV3:
 04/00020
 04/00028



HV1, HV3	L	H	h
Std.:	114 mm 4 1/2"	120 mm 4 3/4"	27 mm 1"
+30:	114 mm 4 1/2"	150 mm 6"	56 mm 2 1/4"
/150:	150 mm 6"	120 mm 4 3/4"	27 mm 1"
+30/150:	150 mm 6"	150 mm 6"	56 mm 2 1/4"
+170:	114 mm 4 1/2"	290 mm 11 1/2"	197 mm 7 3/4"
+170/150:	150 mm 6"	290 mm 11 1/2"	197 mm 7 3/4"





HV1:







Data, 3 Bar:

Max.	l/min.	Gal/min.
HV1/3:	5,0	1.3
HV4	9,0	2.0


Max. 70°C, 158°F









- VR277K: VR22, VR269, VR277
- VR17L5K: VR15P, VR16L5, VR17L
- VR297: VR20, VR22, VR269, VR273, VR277, VR294, VR295, VR296
- VR433: VR261, VR263, VR440, VR442, 2xVR444
- NR.10: VR20, VR22, VR273, VR294, VR295




VOLA A/S
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 Fax: + 45 7023 5511
 sales@vola.com
 www.vola.com

VOLA HV1

Dato	Mar. 11
Rev.	6
Blad	SB21.1



VR277K: VR22, VR269, VR277
 VR17LK5: VR15P, VR16L5, VR17L
 VR433: VR261, VR263, VR440, VR442, 2xVR444
 NR.10: VR20, VR22, VR273, VR274, VR275



Vola A/S
 Lunavej 2
 DK-8700 Horsens
 Tlf : + 45 7023 5500
 Fax: + 45 7023 5511
 sales@vola.com
 www.vola.com

VOLA HV1

Dato
 Sep 09

Rev.
 5

Blad
 SB21.1