

semplice®

TECHNICAL FILES





SHV302 | T1.16BE.SB.BAD

WALL MOUNTED WASHBASIN MIXER WITH 2 HOLES, EXTERNAL PART
WITHOUT SPOUT

*AVAILABLE IN CHROMED BRASS; BLACK
FINISHING; POLISHED BRASS.

TECHNICAL DRAWING | MEASUREMENTS IN MM

* The dimensions might vary slightly from one finish to the other.



semplice®

TECHNICAL FILES


SHV302 | T1.16BE.SB.BAD

WALL MOUNTED WASHBASIN MIXER WITH 2 HOLES, EXTERNAL PART
WITHOUT SPOUT

COMPONENTS LIST | COMPONENTS DRAWING


T1.16BE.SB

- | | |
|----|---------------------|
| 01 | PLATE |
| 02 | PLATE O'RING |
| 03 | HOOD |
| 04 | CARTRIDGE CONCEALER |
| 05 | HANDLE |




COMPATIBLE WITH:

T1.675




T1.16I



MINIMUM PRESSURE	1 BAR
MAXIMUM PRESSURE	10 BAR
RECOMMENDED WORKING PRESSURE	2-5 BAR
MAXIMUM WATER TEMPERATURE	70°/176°
MAXIMUM WATER TEMPERATURE RECOMMENDED	65°/149°
MAXIMUM INLET PRESSURE DIFFERENCE (HOT-COLD)	1.5 BAR

ASSEMBLY INSTRUCTIONS


PICTURE 1



1- After the coating is applied and tile joints are filled in, please remove the plastic protection covering the mixer.

ASSEMBLY INSTRUCTIONS

PICTURE 2




1- Place the hood over the tecaform body.

1- Place the plate on the mixer body, apply silicone on the back of the plate and fit it to the coating.

2- Screw the cartridge concealer to the locknut on the tecaform body.


3- Place the handle onto the cartridge and verify if the rod is in a vertical position.

PICTURE 3



ASSEMBLY INSTRUCTIONS

PICTURE 4




1- Place the umbrak bolt inside the hole under the handle.

2- Screw it with an allen key.

END OF INSTALLATION

CARTRIDGE REPLACEMENT



- 1- Unscrew the handle with the help of the allen key.
- 2- Remove the handle from the top of the cartridge.
- 3- Unscrew the cartridge concealer from the tecaform locknut, then remove the hood from the tecaform piece.
- 4- Unscrew the tecaform locknut with the help of a wrench. After this, you can remove the cartridge.

To apply a new cartridge, please consider the reverse procedure.

semplice®

TECHNICAL FILES

SHV302 | T1.16BE.SB.BAD

MAINTENANCE AND WARRANTY

We recommend regular maintenance of the tap, in order to assure its permanent good function. To clean the tap, please use a smooth cloth with water and neutral soap. Never use products with abrasives substances, such as chloride acid, ammonia, acetone, vinegar, bleach or abrasive sponges. The use of non-recommended products might damage permanently the surfaces, which will annul the warranty.

WARRANTY

Waterevolution guarantees all its products in case of manufacturing defects, as follows:

5 Year Warranty:

- Machining or casting faults and porosity defects;
- Cartridge and valve defects (the wear of this component depends on water quality);
- Chrome plating or PVD defects. Defects caused by improper use are excluded, please refer to the maintenance instructions.

2 year warranty:

- Powder Coating finishes. Defects caused by improper use are excluded, please refer to the maintenance instructions. Our responsibility is exclusively subject to defects originated on the production process.

The warranty does not cover components subject to wear and tear, such as O-rings, gaskets, flexible hoses and joints for connections.

ATTENTION:

Natural finishes, such as brass or stainless steel, depend entirely on the exposure to the environment and maintenance. Therefore, any stain that may appear cannot be considered a product defect. The warranty gives the customer the right to have all the parts which due to a manufacturing fault do not work correctly, replaced free of charge.

The following are excluded from the warranty:

- Items or parts which are damaged or do not work properly due to negligence in the use or wrong maintenance;
- Wrong installation;
- Intervention by unqualified people or circumstances beyond one's control.

In order to use this warranty, please keep the invoice and attach it to this document. Defective products must be sent to Waterevolution with shipping expenses borne by the sender. This warranty document and a copy of the purchase invoice must be attached to the package. The products will be promptly replaced and sent back with shipping expenses borne by Pulcher Denmark.

semplice[®]